Inventors:

Inventors: Serial No.: Filing Date:

Page 4

Gaarde and Watt

10/006,911

November 8, 2001

#### REMARKS

Claims 1, 2 and 4-20 are pending in the instant application. Claims 1, 2 and 4-20 have been rejected. Claims 11 and 16-20 have been canceled. Claims 1 and 15 have been amended. No new matter has been added by these amendments. Reconsideration is respectfully requested in light of these amendments and the following remarks.

### Rejection of Claims Under 35 U.S.C. 112, First Paragraph

Claims 15-20 have been rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention commensurate in scope with these The Examiner acknowledges that the specification while claims. being enabling for antisense-mediated inhibition of human collapsin response mediator protein 2 expression in vitro does not reasonably provide enablement for in vivo uses or methods of treating diseases; the Examiner cites several articles to support this position. Applicants respectfully traverse this rejection.

Applicants disagree with the Examiner's suggestion that the cited references support the position that application of antisense in vivo is highly unpredictable or problematic.

Inventors: Serial No.: Filing Date: Serial No.:

Page 5

RTS-0200

Gaarde and Watt

10/006,911

November 8, 2001

The Examiner has pointed to articles concerning the technology of antisense oligonucleotides to support the view that antisense technology is unpredictable and that predicting efficacy based on in vitro data is problematic. However, when one reads each of the papers as a whole, as required under MPEP 2141.02, these references actually teach the potential usefulness of this class of drugs in humans, and more importantly fail to provide any reasonable basis to doubt the pharmacological activity observed in cells in the instant invention would also occur in humans. Therefore, what these papers cited by the Examinor actually teach is that antisense oligonucleotides must be developed using well designed studies that progress logically from activity in cells to activity in animals, and then to testing in humans. Nowhere in the references cited do the authors state or suggest that results of well-designed in vitro pharmacological studies would not be predictive of activity in humans.

The paper by Braasch and Corey (2002) describes the advances that have been made in the design of antisense compounds over the years. Included in the discussion are the types of advances that are taught in the specification as filed. In fact, the paper states in the abstract that success in clinical trials with these agents has occurred. The Examiner, however, attempts to use this reference to emphasize that many obstacles persist in the art.

RTS-0200

Gaarde and Watt

Inventors:
Scrial No.:
Filing Date: 10/006,911 November 8, 2001

Page 6

This is not a proper use of this reference under 35 U.S.C. 112, first paragraph, as the teachings of a reference must be read in their entirety, not only in bits and pieces to support the Examiner's interpretation. Bee MPEP 2141.02. A prior art reference must be considered in its entirety, i.e. as a whole, including portions that would lead away from the claimed invention. W. L. Gore & Assocs., Inc. v. Garlock., Inc., 721 F. 2d 1540, 220 USPQ 303(Fed. Cir. 1983, cert. denied, 469 U.S. 851 (1984). This reference cites past problems and describes the advances that have been made in the design of antisense compounds over the years, including the types of advances that are taught in the specification as filed, so that antisense provides now potential both for research and clinical application. The authors conclude that:

Oligomers with improved chemical properties, combined with advances in cell biology and success in clinical trials, are affording powerful new options for basic research, biotechnology and medicine (p. 4503, Abstract).

Nothing in the Braasch reference teaches that one of skill would not be able to use the compounds or methods of the invention in an in vivo environment; in fact at page 4504, Braasch teaches (referring to references 8 and 14-16) that those skilled in the art know how to deliver antisense cligonucleotides into various organs

Attorney Docket No.: RTS-0200 Gaarde and Watt

inventors:
Serial No.:
Piling Date:

10/006,911 November 8, 2001

Page 7

of both humans and animals (see, Braasch at 4504, column 2, Uptake by Cultured Cells and Tissue Distribution in Animals). Braasch teaches that use of transfection agents is routine in most types of cultured cells, but in contrast, uncomplexed phosphorothicate oligonucleotides spontaneously enter a number of tissues, including liver, kidney, spleen, intestine and other organs, when introduced intravenously (citing reference 8), and that (p) romising data from ongoing clinical studies also suggest that oligomers can enter human tumors upon intravenous administration and produce a therapeutic effect (references 8, 14-16).

As for teachings regarding toxicity and immunological problems, the Federal Circuit has reiterated that therapeutic utility sufficient under the patent laws is not to be confused with the requirements of the FDA with regard to safety and efficacy of drugs to marketed in the United States. (MPEP 2107.01) These possible side effects are not melevant to patentability. Nor are artifacts that may have obscured the intended antisense mechanism in certain situations, for which the Examiner cites Braasch. Braasch cites reference 3 (Stein) on this point; Stein teaches ways known in the art for avoiding nonspecific results, such as the importance of controls such as are taught in the instant specification.

Inventors:
Serial No.:
Filing Date:

Page 8

RTS-0200

Gaarde and Watt

10/006,911

November 8, 2001

Thus nothing in Braasch teaches or suggests that one of skill would not be able to use the compounds or methods of the invention in an in vivo environment, nor does it teach that antisense compounds are inherently unpredictable when it comes to predicting in vivo activity based on well-designed in vitro studies.

Branch (1998) is also cited by the Examiner in support of his This paper teaches the need to develop antisense molecules based on sound data and careful screening, such as is presented in the instant specification. Nowhere does the paper state that extrapolation from in vitro data to in vivo effects in humans is unpredictable. The Examiner, however, attempts to use this paper to support suggestions concerning the inaccessibility of most potential target RNA binding sites to antisense molecules and the unpredictability of antisense effects. One of skill in the art would not expect to predict the "winning" antisense compound a priori, but would screen a reasonable number of compounds in order to find the one best suited to his or her needs. difficulty of experiments are not determinative of enablement if they are merely routine. Quantity of examples is only one factor that must be considered before reaching the final conclusion that undue experimentation would be required. In ro Wands, 858 f.2d at 737, 8 OSPQ2d at 1404.(MPEP 2164.06). The fact that effective antisense drugs are selected from large pools of candidates and

Inventors: Serial No.: Filing Date:

Page 9

Gaarde and Watt

10/006,911

November 8, 2001

then optimized, rather than predicted a priori, does not indicate lack of enablement, i.e., the need for undue experimentation. "The test is not merely quantitative, since a considerable amount of experimentation is permissible, if it is merely routine, or if the specification in question provides a reasonable amount of quidance with respect to the direction in which the experimentation should proceed." In re Wands, 858 F.2d 731, 737, 8 USPQ2d 1400, 1404 (Fed. Cir. 1988) (citing In re Angstadt, 537 F.2d 489, 502-04, 190 USPQ 214, 217-19 (CCPA 1976)).

Furthermore, the need to select an antisense compound from a pool of candidates is not unique to antisense drugs; all drugs are selected from large pools of candidates. While Braasch teaches that the limited number of tree y accessible RNA regions means that it may be necessary to screen 20 or more oligomers before finding one that functions adequately, in fact this 1-in-20 likelihood of success is high when compared to the odds of finding a traditional small molecule drug. Only five in 5,000 compounds make it from carry research and preclimical testing to clinical trials, and of those five that enter clinical trials only one is approved (data from PhRMA, Pharmaceutical Research and Manufacturers of America).

The Office Action also cites Branch as supporting the unpredictability of non-antisense effects. The predictability, or lack thereof, of an effect which is not the claimed invention

Inventors:
Serial No.:
Filing Date: Gaarde and Watt

10/006,911

November 8, 2001

Page 10

is irrelevant. One of ordinary skill is well aware of how to use proper controls to elucidate antisense inhibition of a desired target. Branch is also cited as teaching the value of a potential antisense drug can only be judged after its intended clinical use is known, and quantitative information about its dose-response curves and therapeutic index is available (Page 46, second column). However, as discussed supra, the teachings of a reference must be read in its entirety, not only in bits and pieces to support the Examiner's interpretation. See MPEP 2141.02. The full excerpt which has been cited in part by the Examiner begins, "As is true of all pharmaceuticals, the value of a potential antisense drug"... In other words, antisense drugs are no different from any other drugs. If the need for evaluation of dose-response and therapeutic index were a bar to patentability, no drug would be patentable. Clearly this is not the proper standard. Thus nowhere does the reference of Branch teach that one of skill would be unable to use the compounds or methods of the invention in an in vivo environment.

The paper by Tamm et al. (2001) is another more recent review of the antisense technology and its specific application to oncology. Again, although the use of antisense is discussed in terms of what can go wrong, the paper, again, describes advances such as those taught in the instant specification.

RTS-0200 Gaarde and Watt Inventors:

serial No.: Filing Date: 10/006,911 November 8, 2001

Page 11

Nowhere do the authors state or suggest that results of welldesigned in vitro pharmacological studies would not be predictive of activity in humans. However, the Examiner cites this paper by Tamm concerning the undesirability of immunostimulation as a side effect and the unpredictability of this side effect, which, as discussed above, is irrelevant to the patentability of the claimed invention. Furthermore, Tamm teaches that the immunostimulatory activity can be ascertained experimentally, and can be avoided by several means.

The Examiner also cites Tamm as concluding that until "the therapoutic activity of an antisense oligonucleotide is defined by antisense sequence, and thus is to some extent the predictable...antisense will not be better than other drug development strategies, most of which depend on an empirical approach." The Examiner appears to be requiring Applicants to demonstrate that antisense is better than other drug development strategies. This is not required for patentability. The teaching in Tamm (that most other drug development strategies roly on an empirical approach) is supportive of the comparability of antisense to other drug development strategies, and thus to the ability of one skilled in the art to rely on Applicants' teachings, together with the knowledge of one of ordinary skill, to practice Applicants' invention.

RTS-0200

Inventors:

Gaarde and Watt

Serial No.: Filing Date: Page 12 10/006,911 November 8, 2001

As discussed for each of these references cited by the Examiner, the teachings of a reference must be read in its entirety, not only in bits and pieces to support the Examiner's interpretation. See MPEP 2141.02. Tamm, in fact, when taken as a whole, has a positive tone regarding the feasibility of the antisense approach in the clinic. "The specificity of this mechanism has resulted in a new class of drugs with a wide range of potential clinical applications. One approved antisense drug, and results of several clinical antisense drug trials, show the feasibility of this approach, with some evidence for clinical efficiency." (Tamm, p. 489, column 2).

Two of the other references cited by the Examiner, Gewirtz et al. (1996) and Agrawal (1996), likewise provide no basis to conclude that extrapolation from in vitro data to effects in humans is unpredictable or especially problematic.

The Examiner suggests that Gewirtz teaches that the inhibitory activity of an oligonucleotide depends unpredictably on the sequence and structure of the nucleic acid target site and the ability of the oligo to reach its target. Again, one of skill in the art would not need to predict an active antisense compound a priori, but would screen a reasonable number of compounds in order to find the one with inhibitory activity best suited to his or her needs. Such screening is laught in the instant specification and

RTS-02:00

inventors:

Gaarde and Watt

Scrial No.: Filing Date: 10/006,911

Page 13

November 8, 2001

is routine for those in the art. Thus there is no need to predict the activity of an antisense compound when, as for other types of determined without undue can routinely be ίt experimentation. Nowhere does Gewirtz teach that one of skill would not be able to use the compounds or methods of the invention in an in vivo environment.

The Examiner suggests that the paper by Agrawal teaches difficulties in uptake of oligonucleotides by cells, and in particular that it is "difficult to generalize that all oligonucleotides are taken up in all cells with the same efficiency" (page 378) and that microinjection or lipid carriers may not be relevant for in vivo situations (page 379). As is well known in the art, there are many factors (discussed in Agrawal and elsewhere) that determine antisense efficacy and cellular uptake. There is, however, no requirement that all oligonucleotides (or all drugs of any class) behave identically.

As for the relevance of lipid carriers or microinjection for in vivo situations, the fact that these methodologies are irrelevant is not the same as a teaching that one of skill would not be able to use the compounds or methods of the invention in an in vivo environment. In fact, as taught by Braasch and discussed above, uncomplexed (i.e., without lipid carriers) oligonucleotides have been demonstrated to enter a number of tissues, including Attorney Docket No.: Justial No.: Filing Date: Page 14

RTS-0200

Gaarde and Watt

10/00€,911

November 8, 2001

liver, kidney, spleen, intestine and other organs, when introduced intravenously, and clinical results suggest that oligomers can enter human tumors upon intravenous administration and produce a therapeutic effect. Thus nowhere does Agrawal teach that one of skill would not be able to use the compounds or methods of the invention in an in vivo envirorment.

Further, the Examiner has failed to support the proposition that administration of antisense to human collapsin response mediator protein 2 would be unpredictable based on any objective evidence. In contrast, data are provided in Example 15 of the specification as filed showing the selection and design of antisense oligonucleotides to selected targets and their activity Therefore, Applicants have clearly met their burden under 112, first paragraph. Further, Applicants respectfully remind the Examiner that the "absence of working examples should nover be the sole reason for rejecting the claimed invention on the grounds of lack of enablement and the specification need not contain an example if the invention is otherwise disclosed in such manner that one skilled in the art will be able to practice it without an undue amount of experimentation". In re Borkowski, 422 F.2d 904, 908, 164 USPQ 642, 645 (CCPA 1970)). (MPEP 2164.02).

However, in an earnest effort to advance the prosecution of this case, Applicants have amended claim 15 and canceled claims 16-

Inventors:

Serial No.: Filing Date:

Page 15

RTS-0200

Gaarde: and Watt

10/006,911

November 8, 2001

Accordingly, withdrawal of this rejection is respectfully requested.

## II. Rejection of Claims Under 35 U.S.C. 102/103

Claims 1, 2 and 11 have been rejected under 35 U.S.C. 102(b) and 103(a) as being anticipated and/or obvious by Hamajima et al. (1996) and Shimkets et al. (WO (1/47944 A2). The Examiner suggests that Hamajima of al. disclose a primer that hybridizes with 100% identity to SEQ ID NO: 3 and that Shimkets et al. disclose SEQ ID NO: 3824 that possesses 100% identity with residues 5253 through 5302 of SEQ ID NO: 3. Further, the Examiner suggests that these prior art compounds would inherently inhibit expression of human collapsin response mediator protein 2. Applicants respectfully traverse this rejection.

At the outset, the claims have been amended to recite that the antisense compounds of the instant invention are targeted to a specific region within the sequence of human collapsin response mediator protein 2 (SEQ ID NO: 3), a region that does not include any region suggested by the prior art. Support for these amendments to the claims can be found throughout the specification as filed but in particular at Table 1, pages 81-82.

Hamajima et al. (1996) disclose a primer as suggested by the Examiner. However, careful review and comparison of this primer

Inventors: Serial No.:

Filing Date:

Page 16

Gaarde and Watt

10/006,911

November 8, 2001

sequence, both in the forward and reverse direction, with SEQ ID NO: 3 of the instant invention failed to identify the homology referenced by the Examiner. Applicants spoke with the Examiner concerning this issue and respectfully request that the sequence comparison performed by the Examiner be provided. Without such a comparison, Applicants submit that the cited reference does not teach or suggest any sequence with homology to the sequence claimed in the instant invention.

Shimkets et al. (WO 01/47944 A2) disclose nucleic acids containing single nucleotide polymorphisms. The homology listed by the Examiner between SEQ ID NO: 3 of the instant invention and SEQ 1D NO: 3824 of the patent application was identified. However, no other overlap of any other region of SEQ ID NO: 3 is taught or suggested by this reference. The claims, as amended, specify regions other than the region overlapped by SEQ ID NO: 3824 of this patent. Therefore, this patent cannot anticipate nor make obvious the invention as now claimed.

In order to anticipate or make obvious a claim the reference cited must teach the limitations of the claims (MPEP 2131). Therefore, these references cannot anticipate or make obvious the claims as amended and withdrawal of this rejection is respectfully requested.

Attorney Booket No.: Inventors:

Sorial No.: Filing Date: Page 17 RTS-0200

Gaarde and Watt

10/006,911

November 8, 2001

# III. Rejection of Claims Under 35 U.S.C. 103(a)

Claims 1, 2 and 4-15 have been rejected under 35 U.S.C. 103(a) as being unpatentable over Aguera et al. (US Patent Application 2002/0119944 A2), in view of Zhou et al. (Genbank Accession No. U97105), Baracchini et al. (US Fatent 5,801,154), and Taylor et al. (1999). The Examiner suggests that it would have been prima facie obvious to one of ordinary skill to make antisense sequences to target the cDNA of human collarsin response mediator protein 2 as taught by Aguera et al., for inhibition of the gene of Zhou et al. The Examiner suggests it would have been obvious to incorporate the modifications of Baracchini et al. The Examiner suggests motivation is provided by the teaching of Aguera et al. where antisense inhibition of the coding portion of SEQ ID NO: 3 is taught. The Examiner suggests a reasonable expectation of success is provided by Taylor in teaching that antisense can be made if a gene sequence is known and that one needs only to screen 3-6 oligos to find one that is active. Applicants respectfully traverse this rejection.

As discussed supra, Applicants have amended the claims to recite that the antisense compounds of the instant invention are targeted to a specific nucleobase region within the sequence of human collapsin response mediator protein 2 (SEQ ID NO: 3). Also as discussed supra, the primary reference cited by the Examiner

Inventors:

Serial No.: Filing Date:

Page 18

RTS-0200

Gaarde and Watt

10/006,911

November 8, 2001

(Aguera et al.), fails to disclose antisense compounds targeted to the specific nucleobase region as claimed. Accordingly this primary reference fails to teach or suggest the limitations of the claims as amended.

The secondary references cited, when combined with the primary reference, fail to overcome the deficiencies in teaching of the primary reference.

Zhou et al. disclose only the sequence of the gene for human collapsin response mediator protein 2. Nowhere does this citation teach or suggest antisense compounds of any type to target this gene, or their use to inhibit gene expression.

Taylor et al. (1999) disclose a method for systematically screening antisense compounds to understand gene function. Although this reference discusses how antisense compounds can be screened for activity, nowhere does this paper teach or suggest that antisense compounds targeted to a specific nucleobase region within the sequence of human collapsin response mediator protein 2 (SEQ ID NO: 3) can be used to successfully inhibit gene expression in cells as claimed.

Baracchini et al. (US Patent 5,801,154) disclose the use of antisense compounds to moculate expression of multi-drug resistance-associated protein. However, nowhere does this paper teach or suggest that antisense compounds targeted to a specific

Inventors: Serial No.:

Filing Date:

Page 19

RTS-0200

Gaarde and Watt

10/006,911

November 8, 2001

nucleobase region within the sequence of human collapsin response mediator protein 2 (SEQ ID NO: 3) can be used to successfully inhibit gene expression in cells as claimed.

To establish a prima facie case of obviousness, three basic criteria must be met. MPEP 2143. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Finally, the prior art must teach or suggest all claim limitations. Clearly, the art as combined fails to teach the limitations of the amended claims which regite antisense compounds targeted to a specific nucleobase region within the sequence of human collapsin response mediator protein[2 (SEQ ID NO: 3)]. Further, the combined art fails to provide one of skull with cither the expectation of success or the motivation to combine the teachings. It is only with the specification in hand that one of skill would understand how to make and use compositions of the instant invention. MPEP 2143.01 states that the mere fact that references can be combined or modified is not sufficient to establish prima facie obviousness. There must some suggestion or motivation in the reference to do so. Such suggestion or motivation is clearly lacking in the combination

Attorney Docket No.: Inventors: Serial No.:

Filing Date: Page 20

RTS-0200 Gaarde and Watt 10/005,911 November 8, 2001

of references cited. Accordingly, withdrawal of this rejection is respectfully requested.

#### IV. Conclusion

Applicants believe that the foregoing comprises a full and complete response to the Office Action of record. Accordingly, favorable reconsideration and subsequent allowance of the pending claims is earnestly solicited.

Respectfully submitted,

Jan Christians

Jane Massey Licata Registration No. 32,257

Date: September 16, 2003

Licata & Tyrrell P.C. 66 F. Main Street Marlton, NJ 08053

856-810-1515

